



Strategy is effective in reducing impacts from a 1 % chance storm event **OR**
 Strategy is effective in reducing impacts from tidal inundation



Strategy may be effective for some storm protection



Strategy is no longer effective for reducing impacts from storm or tidal inundation




Strategy could be effective at an earlier time frame but is not necessary

Management Area Penzance

Buzzards Bay

Coordinate deployable flood protection strategies (up to 48") for low lying homes.



Deployable Barriers

Wet Floodproofing


Wet floodproof low lying homes. No longer effective when water level reaches 1st floor. Consider elevating and wet floodproofing if water level exceeds 18" above grade.



Maintain Character



DEP Wetlands		Management Area	
	Coastal Beach or Dune		Management Area
	Open Water		Parcel Boundaries
	Rocky Intertidal		Coastal Infrastructure



Great Harbor



Management Area Penzance

Buzzards Bay

Nature-based Solutions



DEP Wetlands

- | | |
|---|--|
|  Coastal Beach or Dune |  Management Area |
|  Open Water |  Parcel Boundaries |
|  Rocky Intertidal |  Coastal Infrastructure |



Management Area Penzance

Buzzards Bay

Protect/Connect



DEP Wetlands

- | | |
|---|--|
|  Coastal Beach or Dune |  Management Area |
|  Open Water |  Parcel Boundaries |
|  Rocky Intertidal |  Coastal Infrastructure |




Management Area Penzance

Buzzards Bay


Buyouts and/or Move Structures

Move low lying structures away from tidal inundation zone.



Elevate Structures

Elevate low lying homes up to 10 ft above grade.




Adaptive Realignment




DEP Wetlands

- Coastal Beach or Dune
- Open Water
- Rocky Intertidal
- Management Area
- Parcel Boundaries
- Coastal Infrastructure



Dynamic Adaptation Pathways for Woods Hole



Penzance Point Area

