

Total published ^{234}Th studies identified for the global compilation:

1. Bhat, S. G., Krishnaswamy, S., Lal, D., Rama, & Moore, W. S. (1969). $^{234}\text{Th}/^{238}\text{U}$ ratios in the ocean. *Earth and Planetary Science Letters*, 5, 483–491. [https://doi.org/10.1016/S0012-821X\(68\)80083-4](https://doi.org/10.1016/S0012-821X(68)80083-4)
2. Matsumoto, E. (1975). $^{234}\text{Th}-^{238}\text{U}$ radioactive disequilibrium in the surface layer of the ocean. *Geochimica et Cosmochimica Acta*, 39(2), 205–212. [https://doi.org/10.1016/0016-7037\(75\)90172-6](https://doi.org/10.1016/0016-7037(75)90172-6)
3. Ku, T.-L., Mathieu, G. G., & Knauss, K. G. (1977). Uranium in open ocean: concentration and isotopic composition. *Deep Sea Research*, 24(11), 1005–1017. [https://doi.org/10.1016/0146-6291\(77\)90571-9](https://doi.org/10.1016/0146-6291(77)90571-9)
4. Knauss, K. G., Ku, T.-L., & Moore, W. S. (1978). Radium and thorium isotopes in the surface waters of the East Pacific and coastal Southern California. *Earth and Planetary Science Letters*, 39(2), 235–249. [https://doi.org/10.1016/0012-821X\(78\)90199-1](https://doi.org/10.1016/0012-821X(78)90199-1)
5. Minagawa, M., & Tsunogai, S. (1980). Removal of ^{234}Th from a coastal sea: Funka Bay, Japan. *Earth and Planetary Science Letters*, 47(1), 51–64. [https://doi.org/10.1016/0012-821X\(80\)90103-X](https://doi.org/10.1016/0012-821X(80)90103-X)
6. KAUFMAN, A., LI, Y., & TUREKIAN, K. (1981). The removal rates of ^{234}Th and ^{228}Th from waters of the New York Bight. *Earth and Planetary Science Letters*, 54(3), 385–392. [https://doi.org/10.1016/0012-821X\(81\)90054-6](https://doi.org/10.1016/0012-821X(81)90054-6)
7. Tanaka, N., Takeda, Y., & Tsunogai, S. (1983). Biological effect on removal of Th-234, Po-210 and Pb-210 from surface water in Funka Bay, Japan. *Geochimica et Cosmochimica Acta*, 47(10), 1783–1790. [https://doi.org/10.1016/0016-7037\(83\)90026-1](https://doi.org/10.1016/0016-7037(83)90026-1)
8. McKee, B. A., DeMaster, D. J., & Nittrouer, C. A. (1984). The use of ^{234}T h $^{238}\text{disequilibrium}$ to examine the fate of particle-reactive species on the Yangtze continental shelf. *Earth and Planetary Science Letters*, 68(3), 431–442. [https://doi.org/10.1016/0012-821X\(84\)90128-6](https://doi.org/10.1016/0012-821X(84)90128-6)
9. Coale, K. H., & Bruland, K. W. (1985). ^{234}Th : ^{238}U disequilibria within the California Current1. *Limnology and Oceanography*, 30(1), 22–33. <https://doi.org/10.4319/lo.1985.30.1.0022>
10. Tsunogai, S., Taguchi, K., & Harada, K. (1986). Seasonal variation in the difference between observed and calculated particulate fluxes of Th-234 in Funka Bay, Japan. *Journal of the Oceanographical Society of Japan*, 42(2), 91–98. <https://doi.org/10.1007/BF02109095>
11. McKee, B. A., DeMaster, D. J., & Nittrouer, C. A. (1986). Temporal variability in the partitioning of thorium between dissolved and particulate phases on the Amazon shelf: implications for the scavenging of particle-reactive species. *Continental Shelf Research*, 6(1–2), 87–106. [https://doi.org/10.1016/0278-4343\(86\)90055-5](https://doi.org/10.1016/0278-4343(86)90055-5)
12. Bruland, K. W., & Coale, K. H. (1986). Surface Water $^{234}\text{Th}/^{238}\text{U}$ Disequilibria: Spatial and Temporal Variations of Scavenging Rates within the Pacific Ocean. In *Dynamic Processes in the Chemistry of the Upper Ocean* (pp. 159–172). https://doi.org/10.1007/978-1-4684-5215-0_13
13. Huh, C.-A., & Beasley, T. M. (1987). Profiles of dissolved and particulate thorium isotopes in the water column of coastal Southern California. *Earth and Planetary Science Letters*, 85(1–3), 1–10. [https://doi.org/10.1016/0012-821X\(87\)90016-1](https://doi.org/10.1016/0012-821X(87)90016-1)
14. Coale, K. H., & Bruland, K. W. (1987). Oceanic stratified euphotic zone as elucidated by ^{234}Th : ^{238}U disequilibria1. *Limnology and Oceanography*, 32(1), 189–200. <https://doi.org/10.4319/lo.1987.32.1.0189>
15. Kershaw, P., & Young, A. (1988). Scavenging of ^{234}Th in the Eastern Irish Sea. *Journal of Environmental Radioactivity*, 6(1), 1–23. [https://doi.org/10.1016/0265-931X\(88\)90064-1](https://doi.org/10.1016/0265-931X(88)90064-1)
16. Murray, J. W., Downs, J. N., Strom, S., Wei, C.-L., & Jannasch, H. W. (1989). Nutrient assimilation, export production and ^{234}Th scavenging in the eastern equatorial Pacific. *Deep Sea Research Part A. Oceanographic Research Papers*, 36(10), 1471–1489. [https://doi.org/10.1016/0198-0149\(89\)90052-6](https://doi.org/10.1016/0198-0149(89)90052-6)
17. Bacon, M. P., & Rutgers van der Loeff, M. M. (1989). Removal of thorium-234 by scavenging in the bottom nepheloid layer of the ocean. *Earth and Planetary Science Letters*, 92(2), 157–164. [https://doi.org/10.1016/0012-821X\(89\)90043-5](https://doi.org/10.1016/0012-821X(89)90043-5)
18. Schmidt, S., Reyss, J. L., Nguyen, H. V., & Buat-Ménard, P. (1990). ^{234}Th cycling in the upper water column of the northwestern Mediterranean Sea. *Global and Planetary Change*, 3(1–2), 25–33. [https://doi.org/10.1016/0921-8181\(90\)90053-F](https://doi.org/10.1016/0921-8181(90)90053-F)
19. Wei, C.-L., & Murray, J. W. (1991). $^{234}\text{Th}/^{238}\text{U}$ disequilibria in the Black Sea. *Deep Sea Research Part A. Oceanographic Research Papers*, 38, S855–S873. [https://doi.org/10.1016/S0198-0149\(10\)80013-5](https://doi.org/10.1016/S0198-0149(10)80013-5)

20. Rutgers van der Loeff, M. M., & Berger, G. W. (1991). Scavenging and particle flux: seasonal and regional variations in the Southern Ocean (Atlantic sector). *Marine Chemistry*, 35(1–4), 553–567. [https://doi.org/10.1016/S0304-4203\(09\)90042-1](https://doi.org/10.1016/S0304-4203(09)90042-1)
21. Wei, C.-L., & Murray, J. W. (1992). Temporal variations of ^{234}Th activity in the water column of Dabob Bay: Particle scavenging. *Limnology and Oceanography*, 37(2), 296–314. <https://doi.org/10.4319/lo.1992.37.2.0296>
22. Buesseler, K. O., Bacon, M. P., Kirk Cochran, J., & Livingston, H. D. (1992). Carbon and nitrogen export during the JGOFS North Atlantic Bloom experiment estimated from ^{234}Th : ^{238}U disequilibria. *Deep Sea Research Part A: Oceanographic Research Papers*, 39(7–8), 1115–1137. [https://doi.org/10.1016/0198-0149\(92\)90060-7](https://doi.org/10.1016/0198-0149(92)90060-7)
23. Bradley Moran, S., & Buesseler, K. O. (1993). Size-fractionated ^{234}Th in continental shelf waters off New England: Implications for the role of colloids in oceanic trace metal scavenging. *Journal of Marine Research*, 51(4), 893–922. <https://doi.org/10.1357/0022240933223936>
24. Kirk Cochran, J., Buesseler, K. O., Bacon, M. P., & Livingston, H. D. (1993). Thorium isotopes as indicators of particle dynamics in the upper ocean: results from the JGOFS North Atlantic Bloom experiment. *Deep Sea Research Part I: Oceanographic Research Papers*, 40(8), 1569–1595. [https://doi.org/10.1016/0967-0637\(93\)90017-W](https://doi.org/10.1016/0967-0637(93)90017-W)
25. Buesseler, K. O., Michaels, A. F., Siegel, D. A., & Knap, A. H. (1994). A three dimensional time-dependent approach to calibrating sediment trap fluxes. *Global Biogeochemical Cycles*, 8(2), 179–193. <https://doi.org/10.1029/94GB00207>
26. Sarin, M. M., Krishnaswami, S., Ramesh, R., & Somayajulu, B. L. K. (1994). ^{238}U decay series nuclides in the northeastern Arabian Sea: Scavenging rates and cycling processes. *Continental Shelf Research*, 14(2–3), 251–265. [https://doi.org/10.1016/0278-4343\(94\)90015-9](https://doi.org/10.1016/0278-4343(94)90015-9)
27. Cochran, J. K., Barnes, C., Achman, D., & Hirschberg, D. J. (1995). Thorium-234/uranium-238 disequilibrium as an indicator of scavenging rates and particulate organic carbon fluxes in the Northeast Water Polynya, Greenland. *Journal of Geophysical Research*, 100(C3), 4399. <https://doi.org/10.1029/94JC01954>
28. Buesseler, K. O., Andrews, J. A., Hartman, M. C., Belastock, R., & Chai, F. (1995). Regional estimates of the export flux of particulate organic carbon derived from thorium-234 during the JGOFS EqPac program. *Deep Sea Research Part II: Topical Studies in Oceanography*, 42(2–3), 777–804. [https://doi.org/10.1016/0967-0645\(95\)00043-P](https://doi.org/10.1016/0967-0645(95)00043-P)
29. Shimmield, G. B., Ritchie, G. D., & Fileman, T. W. (1995). The impact of marginal ice zone processes on the distribution of ^{210}Pb , ^{210}Po and ^{234}Th and implications for new production in the Bellingshausen Sea, Antarctica. *Deep Sea Research Part II: Topical Studies in Oceanography*, 42(4–5), 1313–1335. [https://doi.org/10.1016/0967-0645\(95\)00071-W](https://doi.org/10.1016/0967-0645(95)00071-W)
30. -An Huh, C., & Prahl, F. G. (1995). Role of colloids in upper ocean biogeochemistry in the northeast Pacific Ocean elucidated from ^{238}U - ^{234}Th disequilibria. *Limnology and Oceanography*, 40(3), 528–532. <https://doi.org/10.4319/lo.1995.40.3.0528>
31. Niven, S. E. H., Kepkay, P. E., & Boraie, A. (1995). Colloidal organic carbon and colloidal ^{234}Th dynamics during a coastal phytoplankton bloom. *Deep Sea Research Part II: Topical Studies in Oceanography*, 42(1), 257–273. [https://doi.org/10.1016/0967-0645\(95\)00014-H](https://doi.org/10.1016/0967-0645(95)00014-H)
32. Murray, J. W., Young, J., Newton, J., Dunne, J., Chapin, T., Paul, B., & McCarthys, J. J. (1996). Export flux of particulate organic carbon from the central equatorial Pacific determined using a combined drifting trap- ^{234}Th approach. *Deep-Sea Research II*, 43(6), 1095–1132. Retrieved from https://ac.els-cdn.com/0967064596000367/1-s2.0-0967064596000367-main.pdf?_tid=4e611ff8-e00a-11e7-b902-0000aacb35e&acdnat=1513172233_ff9cfb2df901573b41000ea344376c60
33. Bacon, M. P., Cochran, J. K., Hirschberg, D., Hammar, T. R., & Fleer, A. P. (1996). Export flux of carbon at the equator during the EqPac time-series cruises estimated from ^{234}Th measurements. *Deep Sea Research Part II: Topical Studies in Oceanography*, 43(4–6), 1133–1153. [https://doi.org/10.1016/0967-0645\(96\)00016-1](https://doi.org/10.1016/0967-0645(96)00016-1)
34. Sarin, M. M., Rengarajan, R., & Ramaswamy, V. (1996). ^{234}Th scavenging and particle export fluxes from the upper 100 m of the Arabian Sea. *Current Science*, 71(11), 888–893.
35. Baskaran, M., Santschi, P. H., Guo, L., Bianchi, T. S., & Lambert, C. (1996). ^{234}Th : ^{238}U disequilibria in the Gulf of Mexico: The importance of organic matter and particle concentration. *Continental Shelf Research*, 16(3), 353–380. [https://doi.org/10.1016/0278-4343\(95\)00016-T](https://doi.org/10.1016/0278-4343(95)00016-T)

36. Rutgers Van Der Loeff, M. M., Friedrich, J., & Bathmann, U. V. (1997). Carbon export during the Spring Bloom at the Antarctic Polar Front, determined with the natural tracer ^{234}Th . Deep Sea Research Part II: Topical Studies in Oceanography, 44(1–2), 457–478. [https://doi.org/10.1016/S0967-0645\(96\)00067-7](https://doi.org/10.1016/S0967-0645(96)00067-7)
37. Dunne, J. P., Murray, J. W., Young, J., Balistrieri, L. S., & Bishop, J. (1997). ^{234}Th and particle cycling in the central equatorial Pacific. Deep Sea Research Part II: Topical Studies in Oceanography, 44(9–10), 2049–2083. [https://doi.org/10.1016/S0967-0645\(97\)00063-5](https://doi.org/10.1016/S0967-0645(97)00063-5)
38. Moran, S. B., Ellist, ~ K M, Smitht, J. N., Ellis, K. M., & Smith, J. N. (1997). $^{234}\text{Th}/^{238}\text{U}$ disequilibrium in the central Arctic Ocean: implications for particulate organic carbon export. Deep-Sea Research II, 44(8), 1593–1606. [https://doi.org/10.1016/S0967-0645\(97\)00049-0](https://doi.org/10.1016/S0967-0645(97)00049-0)
39. Gustafsson, Ö., Gschwend, P. M., & Buesseler, K. O. (1997). Using ^{234}Th disequilibria to estimate the vertical removal rates of polycyclic aromatic hydrocarbons from the surface ocean. Marine Chemistry, 57(1–2), 11–23. [https://doi.org/10.1016/S0304-4203\(97\)00011-X](https://doi.org/10.1016/S0304-4203(97)00011-X)
40. Wei, C.-L., & Hung, C.-C. (1998). Particle Scavenging in the Upper Water Column off Mindoro Island, Philippine: $^{234}\text{Th}/^{238}\text{U}$ Disequilibria. Estuarine, Coastal and Shelf Science, 46(3), 351–358. <https://doi.org/10.1006/ecss.1997.0297>
41. Kersten, M., Thomsen, S., Priebisch, W., & Garbe-Schönberg, C. D. (1998). Scavenging and particle residence times determined from $^{234}\text{Th}/^{238}\text{U}$ disequilibria in the coastal waters of Mecklenburg Bay. Applied Geochemistry, 13(3), 339–347. [https://doi.org/10.1016/S0883-2927\(97\)00103-0](https://doi.org/10.1016/S0883-2927(97)00103-0)
42. Gustafsson, Ö., Buesseler, K. O., Rockwell Geyer, W., Bradley Moran, S., & Gschwend, P. M. (1998). An assessment of the relative importance of horizontal and vertical transport of particle-reactive chemicals in the coastal ocean. Continental Shelf Research, 18(7), 805–829. [https://doi.org/10.1016/S0278-4343\(98\)00015-6](https://doi.org/10.1016/S0278-4343(98)00015-6)
43. Buesseler, K. O., Ball, L., Andrews, J., Benitez-Nelson, C., Belastock, R., Chai, F., & Chao, Y. (1998). Upper ocean export of particulate organic carbon in the Arabian Sea derived from thorium-234. Deep Sea Research Part II: Topical Studies in Oceanography, 45(10–11), 2461–2487. [https://doi.org/http://dx.doi.org/10.1016/S0967-0645\(98\)80022-2](https://doi.org/http://dx.doi.org/10.1016/S0967-0645(98)80022-2)
44. Smoak, J. M., Moore, W. S., Thunell, R. C., & Shaw, T. J. (1999). Comparison of ^{234}Th , ^{228}Th , and ^{210}Pb fluxes with fluxes of major sediment components in the Guaymas Basin, Gulf of California. Marine Chemistry, 65(3–4), 177–194. [https://doi.org/10.1016/S0304-4203\(98\)00095-4](https://doi.org/10.1016/S0304-4203(98)00095-4)
45. Santschi, P. H., Guo, L., Walsh, I., Quigley, M. S., & Baskaran, M. (1999). Boundary exchange and scavenging of radionuclides in continental margin waters of the Middle Atlantic Bight: implications for organic carbon fluxes. Continental Shelf Research, 19, 609–636. Retrieved from https://ac.els-cdn.com/S0278434398001034/1-s2.0-S0278434398001034-main.pdf?_tid=e4db982a-dffe-11e7-9f72-00000aab0f26&acdnat=1513167331_f204d6c8ea41729d9cd829d3f52b56a7
46. Charette, M. A., & Moran, S. B. (1999). Rates of particle scavenging and particulate organic carbon export estimated using Th as a tracer in the subtropical and equatorial Atlantic Ocean. Deep-Sea Research II, 46, 885–906. Retrieved from https://ac.els-cdn.com/S0967064599000065/1-s2.0-S0967064599000065-main.pdf?_tid=1dbaf2b6-df6f-11e7-ac4d-00000aab0f6b&acdnat=1513105587_10fcfb44421bad899cb8f5bb7baa6f3
47. Charette, M. A., Moran, S. B., Bishop, J. K. B. B., Bradley Moran, S., & Bishop, J. K. B. B. (1999). ^{234}Th as a tracer of particulate organic carbon export in the subarctic northeast Pacific Ocean. Deep Sea Research Part II: Topical Studies in Oceanography, 46(11–12), 2833–2861. [https://doi.org/10.1016/S0967-0645\(99\)00085-5](https://doi.org/10.1016/S0967-0645(99)00085-5)
48. Benitez-Nelson, C., Buesseler, K., & Crossin, G. (2000). Upper ocean carbon export, horizontal transport, and vertical eddy diffusivity in the southwestern Gulf of Maine. Continental Shelf Research, 20(6), 707–736. [https://doi.org/http://dx.doi.org/10.1016/S0278-4343\(99\)00093-X](https://doi.org/http://dx.doi.org/10.1016/S0278-4343(99)00093-X)
49. Charette, M. A., & Buesseler, K. O. (2000). Does iron fertilization lead to rapid carbon export in the Southern Ocean? Geochemistry, Geophysics, Geosystems, 1(10), n/a–n/a. <https://doi.org/10.1029/2000GC000069>
50. Buesseler, K. O., Steinberg, D. K., Michaels, A. F., Johnson, R. J., Andrews, J. E., Valdes, J. R., & Price, J. F. (2000). A comparison of the quantity and composition of material caught in a neutrally buoyant versus surface-tethered sediment trap. Deep Sea Research Part I: Oceanographic Research Papers, 47(2), 277–294. [https://doi.org/10.1016/S0967-0637\(99\)00056-4](https://doi.org/10.1016/S0967-0637(99)00056-4)
51. Moran, S. B., & Smith, J. N. (2000). ^{234}Th as a tracer of scavenging and particle export in the Beaufort Sea. Continental Shelf Research, 20(2), 153–167. [https://doi.org/10.1016/S0278-4343\(99\)00065-5](https://doi.org/10.1016/S0278-4343(99)00065-5)

52. Cochran, J. K., Buesseler, K. O., Bacon, M. P., Wang, H. W., Hirschberg, D. J., Ball, L., ... Fleer, A. (2000). Short-lived thorium isotopes (^{234}Th , ^{228}Th) as indicators of POC export and particle cycling in the Ross Sea, Southern Ocean. Deep Sea Research Part II: Topical Studies in Oceanography, 47(15–16), 3451–3490. [https://doi.org/http://dx.doi.org/10.1016/S0967-0645\(00\)00075-8](https://doi.org/http://dx.doi.org/10.1016/S0967-0645(00)00075-8)
53. Hall, I. R., Schmidt, S., McCave, I. N., & Reyss, J. L. (2000). Particulate matter distribution and disequilibrium along the Northern Iberian Margin: implications for particulate organic carbon export. Deep Sea Research Part I: Oceanographic Research Papers, 47(4), 557–582. [https://doi.org/10.1016/S0967-0637\(99\)00065-5](https://doi.org/10.1016/S0967-0637(99)00065-5)
54. Kim, G., & Church, T. M. (2001). Seasonal biogeochemical fluxes of ^{234}Th and ^{210}Po in the Upper Sargasso Sea: Influence from atmospheric iron deposition. Global Biogeochemical Cycles, 15(3), 651–661. <https://doi.org/10.1029/2000GB001313>
55. Porcelli, D., Andersson, P. S., Baskaran, M., & Wasserburg, G. J. (2001). Transport of U- and Th-series nuclides in a Baltic shield watershed and the Baltic sea. Geochimica et Cosmochimica Acta, 65(15), 2439–2459. [https://doi.org/10.1016/S0016-7037\(01\)00610-X](https://doi.org/10.1016/S0016-7037(01)00610-X)
56. Benitez-Nelson, C., Buesseler, K. O., Karl, D. M., & Andrews, J. (2001). A time-series study of particulate matter export in the North Pacific Subtropical Gyre based on ^{234}Th : ^{238}U disequilibrium. Deep Sea Research Part I: Oceanographic Research Papers, 48(12), 2595–2611. [https://doi.org/http://dx.doi.org/10.1016/S0967-0637\(01\)00032-2](https://doi.org/http://dx.doi.org/10.1016/S0967-0637(01)00032-2)
57. Buesseler, K. O., Ball, L., Andrews, J., Cochran, J. K. K., Hirschberg, D. J. J., Bacon, M. P. P., ... K.O. Buesseler, L. B. J. A. J. K. C. D. J. H. M. P. B. A. F. M. B. (2001). Upper ocean export of particulate organic carbon and biogenic silica in the Southern Ocean along 170°W . Deep Sea Research Part II: Topical Studies in Oceanography, 48(19), 4275–4297. [https://doi.org/10.1016/S0967-0645\(01\)00089-3](https://doi.org/10.1016/S0967-0645(01)00089-3)
58. Cai, P., Huang, Y., Chen, M., Liu, G., & Qiu, Y. (2001). Export of particulate organic carbon estimated from ^{234}Th - ^{238}U disequilibria and its temporal variation in the South China Sea. Chinese Science Bulletin, 46(20), 1722–1726. <https://doi.org/10.1007/BF02900660>
59. Charette, M. A., Moran, S. B., Pike, S. M., & Smith, J. N. (2001). Investigating the carbon cycle in the Gulf of Maine using the natural tracer thorium 234. Journal of Geophysical Research: Oceans, 106(C6), 11553–11579. <https://doi.org/10.1029/1999JC000277>
60. Dai, M. ., & Benitez-Nelson, C. . (2001). Colloidal organic carbon and ^{234}Th in the Gulf of Maine. Marine Chemistry, 74(2–3), 181–196. [https://doi.org/10.1016/S0304-4203\(01\)00012-3](https://doi.org/10.1016/S0304-4203(01)00012-3)
61. Schmidt, S., Andersen, V., Belviso, S., & Marty, J. C. (2002). Strong seasonality in particle dynamics of north-western Mediterranean surface waters as revealed by ^{234}Th / ^{238}U . Deep-Sea Research Part I: Oceanographic Research Papers, 49(8), 1507–1518. [https://doi.org/10.1016/S0967-0637\(02\)00039-0](https://doi.org/10.1016/S0967-0637(02)00039-0)
62. Frignani, M., Courp, T., Cochran, J. ., Hirschberg, D., & Vitoria i Codina, L. (2002). Scavenging rates and particle characteristics in and near the Lacaze-Duthiers submarine canyon, northwest Mediterranean. Continental Shelf Research, 22(15), 2175–2190. [https://doi.org/10.1016/S0278-4343\(02\)00078-X](https://doi.org/10.1016/S0278-4343(02)00078-X)
63. Friedrich, J., & Rutgers van der Loeff, M. M. (2002). A two-tracer (^{210}Po - ^{234}Th) approach to distinguish organic carbon and biogenic silica export flux in the Antarctic Circumpolar Current. Deep-Sea Research Part I: Oceanographic Research Papers. [https://doi.org/10.1016/S0967-0637\(01\)00045-0](https://doi.org/10.1016/S0967-0637(01)00045-0)
64. Coppola, L., Roy-Barman, M., Wassmann, P., Mulsow, S., & Jeandel, C. (2002). Calibration of sediment traps and particulate organic carbon export using ^{234}Th in the Barents Sea. Marine Chemistry, 80(1), 11–26. [https://doi.org/10.1016/S0304-4203\(02\)00071-3](https://doi.org/10.1016/S0304-4203(02)00071-3)
65. Guo, L., Hung, C.-C., Santschi, P. H., & Walsh, I. D. (2002). ^{234}Th scavenging and its relationship to acid polysaccharide abundance in the Gulf of Mexico. Marine Chemistry, 78(2–3), 103–119. [https://doi.org/10.1016/S0304-4203\(02\)00012-9](https://doi.org/10.1016/S0304-4203(02)00012-9)
66. Rutgers van der Loeff, M., Buesseler, K. O., Bathmann, U., Hense, I., & Andrews, J. (2002). Comparison of carbon and opal export rates between summer and spring bloom periods in the region of the Antarctic Polar Front, SE Atlantic. Deep-Sea Research Part II: Topical Studies in Oceanography, 49(18), 3849–3869. [https://doi.org/10.1016/S0967-0645\(02\)00114-5](https://doi.org/10.1016/S0967-0645(02)00114-5)
67. Cai, P., Huang, Y., Chen, M., Guo, L., Liu, G., & Qiu, Y. (2002). New production based on ^{228}Ra -derived nutrient budgets and thorium-estimated POC export at the intercalibration station in the South China Sea. Deep-Sea Research Part I: Oceanographic Research Papers, 49(1), 53–66. [https://doi.org/10.1016/S0967-0637\(01\)00040-1](https://doi.org/10.1016/S0967-0637(01)00040-1)

68. Foster, J. M., & Shimmield, G. B. (2002). *234Th as a tracer of particle flux and POC export in the northern North Sea during a coccolithophore bloom*. Deep-Sea Research Part II: Topical Studies in Oceanography. [https://doi.org/10.1016/S0967-0645\(02\)00066-8](https://doi.org/10.1016/S0967-0645(02)00066-8)
69. Amiel, D., Cochran, J. K., & Hirschberg, D. J. (2002). *234Th/238U disequilibrium as an indicator of the seasonal export flux of particulate organic carbon in the North Water*. Deep Sea Research Part II: Topical Studies in Oceanography, 49(22–23), 5191–5209. [https://doi.org/10.1016/S0967-0645\(02\)00185-6](https://doi.org/10.1016/S0967-0645(02)00185-6)
70. Rutgers van der Loeff, M., Meyer, R., Rudels, B., & Rachor, E. (2002). Resuspension and particle transport in the benthic nepheloid layer in and near Fram Strait in relation to faunal abundances and *234Th* depletion. Deep-Sea Research Part I: Oceanographic Research Papers, 49(11), 1941–1958. [https://doi.org/10.1016/S0967-0637\(02\)00113-9](https://doi.org/10.1016/S0967-0637(02)00113-9)
71. Schmidt, S., Chou, L., & Hall, I. R. (2002). Particle residence times in surface waters over the north-western Iberian Margin: comparison of pre-upwelling and winter periods. Journal of Marine Systems, 32, 3–11. Retrieved from https://ac.els-cdn.com/S0924796302000271/1-s2.0-S0924796302000271-main.pdf?_tid=4cdab71a-e006-11e7-a660-00000aacb35f&acdnat=1513170512_a65f4806439f8bdcca9988b53b595da0
72. Yamada, M., & Aono, T. (2003). *210Pb and *234Th* in settling particles collected by time-series sediment traps in the Okinawa Trough*. Deep-Sea Research Part II: Topical Studies in Oceanography, 50(2), 487–501. <https://doi.org/10.1007/s11442-018-1532-7>
73. Sweeney, E. N., McGillicuddy, D. J., & Buesseler, K. O. (2003). Biogeochemical impacts due to mesoscale eddy activity in the Sargasso Sea as measured at the Bermuda Atlantic Time-series Study (BATS). Deep-Sea Research Part II: Topical Studies in Oceanography, 50(22–26), 3017–3039. <https://doi.org/10.1016/j.dsr2.2003.07.008>
74. Buesseler, K. O., Barber, R. T., Dickson, M.-L., Hiscock, M. R., Moore, J. K., & Sambrotto, R. (2003). The effect of marginal ice-edge dynamics on production and export in the Southern Ocean along 170°W. Deep Sea Research Part II: Topical Studies in Oceanography, 50(3–4), 579–603. [https://doi.org/10.1016/S0967-0645\(02\)00585-4](https://doi.org/10.1016/S0967-0645(02)00585-4)
75. Moran, S. B., Weinstein, S. E., Edmonds, H. N., Smith, J. N., Kelly, R. P., Pilson, M. E. Q., & Harrison, W. G. (2003). Does *234 Th/ 238 U* disequilibrium provide an accurate record of the export flux of particulate organic carbon from the upper ocean? Limnology and Oceanography, 48(3), 1018–1029. <https://doi.org/10.4319/lo.2003.48.3.1018>
76. Chen, M., Huang, Y., Cai, P., & Guo, L. (2003). Particulate Organic Carbon Export Fluxes in The Canada Basin and Bering Sea as Derived from *234Th/238U* Disequilibria. ARCTIC, 56(1), 32–44. <https://doi.org/10.14430/arctic600>
77. Baskaran, M., Swarzenski, P. W., & Porcelli, D. (2003). Role of colloidal material in the removal of *234Th* in the Canada basin of the Arctic Ocean. Deep-Sea Research Part I: Oceanographic Research Papers, 50(10–11), 1353–1373. [https://doi.org/10.1016/S0967-0637\(03\)00140-7](https://doi.org/10.1016/S0967-0637(03)00140-7)
78. Radakovitch, O., Frignani, M., Giuliani, S., & Montanari, R. (2003). Temporal variations of dissolved and particulate *234Th* at a coastal station of the northern Adriatic Sea. Estuarine, Coastal and Shelf Science, 58(4), 813–824. [https://doi.org/10.1016/S0272-7714\(03\)00187-2](https://doi.org/10.1016/S0272-7714(03)00187-2)
79. Kawakami, H., Yang, Y.-L., Honda, M. C., & Kusakabe, M. (2004). Particulate organic carbon fluxes estimated from *234 Th* deficiency in winters and springs in the northwestern North Pacific. Geochemical Journal, 38(592). Retrieved from <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.539.3478&rep=rep1&type=pdf>
80. Trimble, S. M., Baskaran, M., & Porcelli, D. (2004). Scavenging of thorium isotopes in the Canada Basin of the Arctic Ocean. Earth and Planetary Science Letters, 222(3–4), 915–932. <https://doi.org/10.1016/j.epsl.2004.03.027>
81. Smith, K. J., León Vintró, L., Mitchell, P. I., Bally de Bois, P., & Boust, D. (2004). Uranium–thorium disequilibrium in north-east Atlantic waters. Journal of Environmental Radioactivity, 74(1–3), 199–210. <https://doi.org/10.1016/j.jenvrad.2004.01.006>
82. Hung, C.-C., Guo, L., Roberts, K. A., & Santschi, P. H. (2004). Upper ocean carbon flux determined by the *234Th* approach and sediment traps using size-fractionated POC and *234Th* data from the Gulf of Mexico. GEOCHEMICAL JOURNAL, 38(6), 601–611. <https://doi.org/10.2343/geochemj.38.601>
83. Yang, Y. L., Han, X., & Kusakabe, M. (2004). POC fluxes from euphotic zone estimated from *Th-234* deficiency in winter in the northwestern North Pacific Ocean. Acta Oceanologica Sinica, 23(1), 135–148+.

84. Savoye, N., Buesseler, K. O., Cardinal, D., & Dehairs, F. (2004). 234 Th deficit and excess in the Southern Ocean during spring 2001: Particle export and remineralization. *Geophysical Research Letters*, 31(12), n/a-n/a. <https://doi.org/10.1029/2004GL019744>
85. Gustafsson, Ö., Andersson, P., Roos, P., Kukulska, Z., Broman, D., Larsson, U., ... Ingri, J. (2004). Evaluation of the collection efficiency of upper ocean sub-photic-layer sediment traps: A 24-month in situ calibration in the open Baltic Sea using 234Th. *Limnology and Oceanography: Methods*, 2(2), 62–74. <https://doi.org/10.4319/lom.2004.2.62>
86. Moran, S. B., Kelly, R. P., Hagstrom, K., Smith, J. N., Grebmeier, J. M., Cooper, L. W., ... Mulsow, S. (2005). Seasonal changes in POC export flux in the Chukchi Sea and implications for water column-benthic coupling in Arctic shelves. *Deep-Sea Research Part II: Topical Studies in Oceanography*, 52(24–26), 3427–3451. <https://doi.org/10.1016/j.dsrr.2005.09.011>
87. Trimble, S. M., & Baskaran, M. (2005). The role of suspended particulate matter in 234Th scavenging and 234Th-derived export fluxes of POC in the Canada Basin of the Arctic Ocean. *Marine Chemistry*, 96(1–2), 1–19. <https://doi.org/10.1016/j.marchem.2004.10.003>
88. Coppola, L., Roy-Barman, M., Mulsow, S., Povinec, P., Jeandel, C., Coppola, L., ... Jeandel, C. (2005). Low particulate organic carbon export in the frontal zone of the Southern Ocean (Indian sector) revealed by 234Th. *Deep-Sea Research Part I: Oceanographic Research Papers*, 52(1), 51–68. <https://doi.org/10.1016/j.dsri.2004.07.020>
89. Ma, Q., Chen, M., Qiu, Y., & Li, Y. (2005). Regional estimates of POC export flux derived from thorium-234 in the western Arctic Ocean. *Acta Oceanologica Sinica*, 24(6), 97–108.
90. Buesseler, K. O., Andrews, J. E., Pike, S. M., Charette, M. A., Goldson, L. E., Brzezinski, M. A., & Lance, V. P. (2005). Particle export during the Southern Ocean Iron Experiment (SOFeX). *Limnology and Oceanography*, 50(1), 311–327. <https://doi.org/10.4319/lo.2005.50.1.0311>
91. Cai, P., Dai, M., Lv, D., & Chen, W. (2006). How accurate are 234Th measurements in seawater based on the MnO₂-impregnated cartridge technique? *Geochemistry, Geophysics, Geosystems*, 7(3), n/a–n/a. <https://doi.org/10.1029/2005GC001104>
92. Gustafsson, Ö., Larsson, J., Andersson, P., & Ingri, J. (2006). The POC/234Th ratio of settling particles isolated using split flow-thin cell fractionation (SPLITT). *Marine Chemistry*, 100(3–4), 314–322. <https://doi.org/10.1016/j.marchem.2005.10.018>
93. Rodriguez y Baena, A. M., Metian, M., Teyssié, J.-L., De Broyer, C., & Warnau, M. (2006). Experimental evidence for 234Th bioaccumulation in three Antarctic crustaceans: Potential implications for particle flux studies. *Marine Chemistry*, 100(3), 354–365. <https://doi.org/10.1016/j.marchem.2005.10.022>
94. Thomalla, S. J., Turnewitsch, R., Lucas, M., & Poulton, A. (2006). Particulate organic carbon export from the North and South Atlantic gyres: The 234Th/238U disequilibrium approach. *Deep Sea Research Part II: Topical Studies in Oceanography*, 53(14–16), 1629–1648. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0967064506001287>
95. Schmidt, S. (2006). Impact of the Mediterranean Outflow Water on particle dynamics in intermediate waters of the Northeast Atlantic, as revealed by 234Th and 228Th. *Marine Chemistry*, 100(3–4), 289–298. <https://doi.org/10.1016/j.marchem.2005.10.017>
96. Speicher, E. A., Moran, S. B., Burd, A. B., Delfanti, R., Kaberi, H., Kelly, R. P., ... Zervakis, V. (2006). Particulate organic carbon export fluxes and size-fractionated POC/234Th ratios in the Ligurian, Tyrrhenian and Aegean Seas. *Deep Sea Research Part I: Oceanographic Research Papers*, 53(11), 1810–1830. <https://doi.org/10.1016/j.dsri.2006.08.005>
97. Cai, P., Dai, M., Chen, W., Tang, T., & Zhou, K. (2006). On the importance of the decay of 234Th in determining size-fractionated C/234Th ratio on marine particles. *Geophysical Research Letters*, 33(23), L23602. <https://doi.org/10.1029/2006GL027792>
98. Coppola, L., Roy-Barman, M., Mulsow, S., Povinec, P., & Jeandel, C. (2006). Thorium isotopes as tracers of particles dynamics and deep water circulation in the Indian sector of the Southern Ocean (ANTARES IV). *Marine Chemistry*, 100(3), 299–313. <https://doi.org/10.1016/j.marchem.2005.10.019>
99. Stewart, G., Cochran, J. K., Miquel, J. C., Masqué, P., Szlosek, J., Rodriguez y Baena, A. M., ... Hirschberg, D. J. (2007). Comparing POC export from 234Th/238U and 210Po/210Pb disequilibria with estimates from sediment traps in the northwest Mediterranean. *Deep Sea Research Part I: Oceanographic Research Papers*, 54(9), 1549–1570. <https://doi.org/10.1016/j.dsri.2007.06.005>
100. Rodriguez y Baena, A. M., Fowler, S. W., & Miquel, J. C. (2007). Particulate organic carbon : natural radionuclide ratios in zooplankton and their freshly produced fecal pellets from the NW Mediterranean

- (MedFlux 2005). Limnology and Oceanography, 52(3), 966–974. <https://doi.org/10.4319/lo.2007.52.3.0966>
101. Kawakami, H., & Honda, M. C. (2007). Time-series observation of POC fluxes estimated from ^{234}Th in the northwestern North Pacific. Deep Sea Research Part I: Oceanographic Research Papers, 54(7), 1070–1090. <https://doi.org/10.1016/j.dsr.2007.04.005>
102. Lepore, K., Moran, S. B., Grebmeier, J. M., Cooper, L. W., Lalande, C., Maslowski, W., ... Kelly, R. P. (2007). Seasonal and interannual changes in particulate organic carbon export and deposition in the Chukchi Sea. Journal of Geophysical Research: Oceans, 112(10), C10024. <https://doi.org/10.1029/2006JC003555>
103. Morris, P. J., Sanders, R., Robert, T., Sandy, T., Turnewitsch, R., & Thomalla, S. (2007). ^{234}Th -derived particulate organic carbon export from an island-induced phytoplankton bloom in the Southern Ocean. Deep-Sea Research Part II, 54(18–20), 2208–2232. <https://doi.org/10.1016/j.dsr2.2007.06.002>
104. Hung, C.-C., & Gong, G.-C. (2007). Export flux of POC in the main stream of the Kuroshio. Geophysical Research Letters, 34(18), L18606. <https://doi.org/10.1029/2007GL030236>
105. Lalande, C., Lepore, K., Cooper, L. W., Grebmeier, J. M., & Moran, S. B. (2007). Export fluxes of particulate organic carbon in the Chukchi Sea: A comparative study using $^{234}\text{Th}/^{238}\text{U}$ disequilibria and drifting sediment traps. Marine Chemistry, 103(1–2), 185–196. <https://doi.org/10.1016/j.marchem.2006.07.004>
106. Giuliani, S., Radakovitch, O., Frignani, M., & Bellucci, L. G. (2007). Short time scale variations of $^{234}\text{Th}/^{238}\text{U}$ disequilibrium related to mesoscale variability on the continental slope of the Gulf of Lions (France). Marine Chemistry, 106(3–4), 403–418. <https://doi.org/10.1016/j.marchem.2007.03.007>
107. Lepore, K., & Moran, S. B. (2007). Seasonal changes in thorium scavenging and particle aggregation in the western Arctic Ocean. Deep-Sea Research Part I: Oceanographic Research Papers, 54(6), 919–938. <https://doi.org/10.1016/j.dsr.2007.03.001>
108. Rodriguez y Baena, A. M., Boudjenoun, R., Fowler, S. W., Miquel, J. C., Masqué, P., Sanchez-Cabeza, J. A., & Warnau, M. (2008). ^{234}Th -based carbon export during an ice-edge bloom: Sea-ice algae as a likely bias in data interpretation. Earth and Planetary Science Letters, 269(3–4), 595–603. <https://doi.org/10.1016/j.epsl.2008.03.020>
109. Lalande, C., Moran, S. B., Wassmann, P., Grebmeier, J. M., & Cooper, L. W. (2008). ^{234}Th -derived particulate organic carbon fluxes in the northern Barents Sea with comparison to drifting sediment trap fluxes. Journal of Marine Systems, 73(1–2), 103–113. <https://doi.org/10.1016/j.jmarsys.2007.09.004>
110. Maiti, K., Benitez-Nelson, C. R., Rii, Y., & Bidigare, R. (2008). The influence of a mature cyclonic eddy on particle export in the lee of Hawaii. Deep-Sea Research Part II: Topical Studies in Oceanography, 55(10–13), 1445–1460. <https://doi.org/10.1016/j.dsr2.2008.02.008>
111. Lampitt, R. S., Boorman, B., Brown, L., Lucas, M., Salter, I., Sanders, R., ... Turnewitsch, R. (2008). Particle export from the euphotic zone: Estimates using a novel drifting sediment trap, ^{234}Th and new production. Deep Sea Research Part I: Oceanographic Research Papers, 55(11), 1484–1502. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0967063708001453>
112. Amiel, D., & Cochran, J. K. (2008). Terrestrial and marine POC fluxes derived from ^{234}Th distributions and $\delta^{13}\text{C}$ measurements on the Mackenzie Shelf. Journal of Geophysical Research, 113(C3), C03S06. <https://doi.org/10.1029/2007JC004260>
113. Cai, P., Chen, W., Dai, M., Wan, Z., Wang, D., Li, Q., ... Lv, D. (2008). A high-resolution study of particle export in the southern South China Sea based on ^{234}Th : ^{238}U disequilibrium. Journal of Geophysical Research, 113(C4), C04019. <https://doi.org/10.1029/2007JC004268>
114. Buesseler, K. O., Lamborg, C., Cai, P., Escoube, R., Johnson, R., Pike, S., ... Verdeny, E. (2008). Particle fluxes associated with mesoscale eddies in the Sargasso Sea. Deep Sea Research Part II: Topical Studies in Oceanography, 55(10–13), 1426–1444. <https://doi.org/10.1016/j.dsr2.2008.02.007>
115. Lamborg, C. H., Buesseler, K. O., Valdes, J., Bertrand, C. H., Bidigare, R., Manganini, S., ... Wilson, S. (2008). The flux of bio- and lithogenic material associated with sinking particles in the mesopelagic “twilight zone” of the northwest and North Central Pacific Ocean. Deep Sea Research Part II: Topical Studies in Oceanography, 55(14–15), 1540–1563. <https://doi.org/10.1016/j.dsr2.2008.04.011>
116. Savoye, N., Trull, T. W. W., Jacquet, S. H. M. H. M., Navez, J., & Dehairs, F. (2008). ^{234}Th -based export fluxes during a natural iron fertilization experiment in the Southern Ocean (KEOPS). Deep Sea Research Part II: Topical Studies in Oceanography, 55(5–7), 841–855. <https://doi.org/10.1016/J.DSR2.2007.12.036>

117. Chen, W., Cai, P., Dai, M., & Wei, J. (2008). *234Th/238U disequilibrium and particulate organic carbon export in the northern South China Sea*. *Journal of Oceanography*, 64(3), 417–428. <https://doi.org/10.1007/s10872-008-0035-z>
118. Thomalla, S. J., Poulton, A. J., Sanders, R., Turnewitsch, R., Holligan, P. M., & Lucas, M. I. (2008). Variable export fluxes and efficiencies for calcite, opal, and organic carbon in the Atlantic Ocean: A ballast effect in action? *Global Biogeochemical Cycles*, 22(1), n/a-n/a. <https://doi.org/10.1029/2007GB002982>
119. Buesseler, K. O., Pike, S., Maiti, K., Lamborg, C. H., Siegel, D. A., & Trull, T. W. (2009). Thorium-234 as a tracer of spatial, temporal and vertical variability in particle flux in the North Pacific. *Deep Sea Research Part I: Oceanographic Research Papers*, 56(7), 1143–1167. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0967063709000715>
120. Wei, C.-L., Chou, L., Tsai, J., Wen, L., & Pai, S. (2009). Comparative Geochemistry of 234Th, 210Pb, and 210Po: A Case Study in the Hung-Tsai Trough off Southwestern Taiwan. *Terrestrial, Atmospheric and Oceanic Sciences*, 20(2), 411. [https://doi.org/10.3319/TAO.2008.01.09.01\(Oc\)](https://doi.org/10.3319/TAO.2008.01.09.01(Oc))
121. Lepore, K., Moran, S. B., Burd, A. B., Jackson, G. A., Smith, J. N., Kelly, R. P., ... Assimakopoulou, G. (2009). Sediment trap and in-situ pump size-fractionated POC/234Th ratios in the Mediterranean Sea and Northwest Atlantic: Implications for POC export. *Deep-Sea Research Part I: Oceanographic Research Papers*, 56(4), 599–613. <https://doi.org/10.1016/j.dsr.2008.11.004>
122. Szlosek, J., Cochran, J. K., Miquel, J. C., Masqué, P., Armstrong, R. A., Fowler, S. W., ... Hirschberg, D. J. (2009). Particulate organic carbon-234Th relationships in particles separated by settling velocity in the northwest Mediterranean Sea. *Deep-Sea Research Part II: Topical Studies in Oceanography*, 56(18), 1519–1532. <https://doi.org/10.1016/j.dsr2.2008.12.017>
123. Brew, H. S., Moran, S. B., Lomas, M. W., & Burd, A. B. (2009). Plankton community composition, organic carbon and thorium-234 particle size distributions, and particle export in the Sargasso Sea. *Journal of Marine Research*, 67(6), 845–868. <https://doi.org/10.1357/002224009792006124>
124. Maiti, K., Benitez-Nelson, C. R., Lomas, M. W., & Krause, J. W. (2009). Biogeochemical responses to late-winter storms in the Sargasso Sea, III-Estimates of export production using 234Th:238U disequilibria and sediment traps. *Deep Sea Research Part I: Oceanographic Research Papers*, 56(6), 875–891. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0967063709000284>
125. Schmidt, S., Goutx, M., Raimbault, P., Garcia, N., Guibert, P., & Andersen, V. (2009). 234Th measured particle export from surface waters in north-western Mediterranean: comparison of spring and autumn periods. *Biogeosciences Discussions*, 6(1), 143–161. <https://doi.org/10.5194/bgd-6-143-2009>
126. Kawakami, H., Honda, M. C., Matsumoto, K., Fujiki, T., & Watanabe, S. (2010). East-west distribution of POC fluxes estimated from 234Th in the northern North Pacific in autumn. *Journal of Oceanography*, 66(1), 71–83. <https://doi.org/10.1007/s10872-010-0006-z>
127. Hung, C. C., Xu, C., Santschi, P. H., Zhang, S. J., Schwehr, K. A., Quigg, A., ... Wei, C. L. (2010). Comparative evaluation of sediment trap and 234Th-derived POC fluxes from the upper oligotrophic waters of the Gulf of Mexico and the subtropical northwestern Pacific Ocean. *Marine Chemistry*, 121(1–4), 132–144. <https://doi.org/10.1016/j.marchem.2010.03.011>
128. Sanders, R., Morris, P. J., Poulton, A. J., Stinchcombe, M. C., Charalampopoulou, A., Lucas, M. I., & Thomalla, S. J. (2010). Does a ballast effect occur in the surface ocean? *Geophysical Research Letters*, 37(8). <https://doi.org/10.1029/2010GL042574>
129. Yu, W., Chen, L., Cheng, J., He, J., Yin, M., & Zeng, Z. (2010). 234Th-derived particulate organic carbon export flux in the western Arctic Ocean. *Chinese Journal of Oceanology and Limnology*, 28(6), 1146–1151. <https://doi.org/10.1007/s00343-010-9933-1>
130. Buesseler, K. O., McDonnell, A. M. P., Schofield, O. M. E., Steinberg, D. K., & Ducklow, H. W. (2010). High particle export over the continental shelf of the west Antarctic Peninsula. *Geophysical Research Letters*, 37(22), n/a-n/a. <https://doi.org/10.1029/2010GL045448>
131. Cai, P., Rutgers Van Der Loeff, M., Stimac, I., Nöthig, E. -m, Lepore, K., & Moran, S. B. (2010). Low export flux of particulate organic carbon in the central Arctic Ocean as revealed by 234 Th: 238 U disequilibrium. *J. Geophys. Res.*, 115. <https://doi.org/10.1029/2009JC005595>
132. Stewart, G., Moran, S. B., Lomas, M. W., & Kelly, R. P. (2011). Direct comparison of 210Po, 234Th and POC particle-size distributions and export fluxes at the Bermuda Atlantic Time-series Study (BATS) site. *Journal of Environmental Radioactivity*, 102(5), 479–489. <https://doi.org/10.1016/j.jenvrad.2010.09.011>

133. Martin, P., Lampitt, R. S., Perry, M. J., Sanders, R., Lee, C., & D'Asaro, E. (2011). Export and mesopelagic particle flux during a North Atlantic spring diatom bloom. *Deep Sea Research Part I: Oceanographic Research Papers*, 58(4), 338–349. Retrieved from <http://www.sciencedirect.com/science/article/pii/S096706371100029X>
134. Shaw, T. J., Smith, K. L., Hexel, C. R., Dudgeon, R., Sherman, A. D., Vernet, M., & Kaufmann, R. S. (2011). 234Th-Based Carbon Export around Free-Drifting Icebergs in the Southern Ocean. *Deep-Sea Research Part II: Topical Studies in Oceanography*, 58(11–12), 1384–1391. <https://doi.org/10.1016/j.dsr2.2010.11.019>
135. Evangelou, N., Florou, H., & Scoullos, M. (2011). POC and particulate 234Th export fluxes estimated using 234Th/238U disequilibrium in an enclosed Eastern Mediterranean region (Saronikos Gulf and Elefsis Bay, Greece) in seasonal scale. *Geochimica et Cosmochimica Acta*, 75(19), 5367–5388. <https://doi.org/10.1016/j.gca.2011.04.005>
136. Stukel, M. R., Landry, M. R., Benitez-Nelson, C. R., & Goericke, R. (2011). Trophic cycling and carbon export relationships in the California Current Ecosystem. *Limnology and Oceanography*, 56(5), 1866–1878. <https://doi.org/10.4319/lo.2011.56.5.1866>
137. Rutgers van der Loeff, M., Cai, P. H., Stimac, I., Bracher, A., Middag, R., Klunder, M. B., & van Heuven, S. M. A. C. (2011). 234Th in surface waters: Distribution of particle export flux across the Antarctic Circumpolar Current and in the Weddell Sea during the GEOTRACES expedition ZERO and DRAKE. *Deep Sea Research Part II: Topical Studies in Oceanography*, 58(25–26), 2749–2766. <https://doi.org/10.1016/j.dsr2.2011.02.004>
138. Jacquet, S. H. M., Lam, P. J., Trull, T., & Dehairs, F. (2011). Carbon export production in the subantarctic zone and polar front zone south of Tasmania. *Deep Sea Research Part II: Topical Studies in Oceanography*, 58(21–22), 2277–2292. <https://doi.org/http://dx.doi.org/10.1016/j.dsr2.2011.05.035>
139. Wei, C.-L., Lin, S. Y., Sheu, D. D., Chou, W. C., Yi, M. C., Santschi, P. H., & Wen, L. S. (2011). Particle-reactive radionuclides (234Th, 210Pb, 210Po) as tracers for the estimation of export production in the South China Sea. *Biogeosciences*, 8(12), 3793–3808. <https://doi.org/10.5194/bg-8-3793-2011>
140. Kim, D., Choi, M.-S. S., Oh, H.-Y. Y., Song, Y.-H. H., Noh, J.-H. H., Kim, K. H., ... Kim, K. H. (2011). Seasonal export fluxes of particulate organic carbon from 234Th/238U disequilibrium measurements in the Ulleung Basin1 (Tsushima Basin) of the East Sea1 (Sea of Japan). *Journal of Oceanography*, 67(5), 577–588. <https://doi.org/10.1007/s10872-011-0058-8>
141. Smetacek, V., Klaas, C., Strass, V. H., Assmy, P., Montresor, M., Cisewski, B., ... Wolf-Gladrow, D. (2012). Deep carbon export from a Southern Ocean iron-fertilized diatom bloom. *Nature*, 487(7407), 313–319. <https://doi.org/10.1038/nature11229>
142. Yu, W., He, J., Li, Y., Lin, W., & Chen, L. (2012). Particulate organic carbon export fluxes and validation of steady state model of 234Th export in the Chukchi Sea. *Deep-Sea Research Part II: Topical Studies in Oceanography*, 81–84, 63–71. <https://doi.org/10.1016/j.dsr2.2012.03.003>
143. Moran, S. B., Lomas, M. W., Kelly, R. P., Gradinger, R., Iken, K., & Mathis, J. T. (2012). Seasonal succession of net primary productivity, particulate organic carbon export, and autotrophic community composition in the eastern Bering Sea. *Deep-Sea Research Part II: Topical Studies in Oceanography*, 65–70, 84–97. <https://doi.org/10.1016/j.dsr2.2012.02.011>
144. Gustafsson, Ö., & Andersson, P. S. (2012). 234Th-derived surface export fluxes of POC from the Northern Barents Sea and the Eurasian sector of the Central Arctic Ocean. *Deep-Sea Research Part I: Oceanographic Research Papers*, 68, 1–11. <https://doi.org/10.1016/j.dsr.2012.05.014>
145. Zhou, K., Nodder, S. D., Dai, M., & Hall, J. A. (2012). Insignificant enhancement of export flux in the highly productive subtropical front, east of New Zealand: a high resolution study of particle export fluxes based on 234Th: 238U disequilibria. *Biogeosciences*, 9(3), 973–992. <https://doi.org/10.5194/bg-9-973-2012>
146. Zhou, K., Dai, M., Kao, S.-J., Wang, L., Xiu, P., Chai, F., ... Liu, Y. (2013). Apparent enhancement of 234Th-based particle export associated with anticyclonic eddies. *Earth and Planetary Science Letters*, 381, 198–209. <https://doi.org/10.1016/j.epsl.2013.07.039>
147. Le Moigne, F. A. C., Villa-Alfageme, M., Sanders, R. J., Marsay, C., Henson, S., & García-Tenorio, R. (2013). Export of organic carbon and biominerals derived from 234Th and 210Po at the Porcupine Abyssal Plain. *Deep Sea Research Part I: Oceanographic Research Papers*, 72(0), 88–101. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0967063712002075>

148. Planchon, F., Cavagna, A. J., Cardinal, D., André, L., & Dehairs, F. (2013). Late summer particulate organic carbon export and twilight zone remineralisation in the Atlantic sector of the Southern Ocean. *Biogeosciences*, 10(2), 803–820. <https://doi.org/10.5194/bg-10-803-2013>
149. Martin, P., van der Looff, M. R., Cassar, N., Vandromme, P., D’Ovidio, F., Stemmann, L., ... Naqvi, S. W. A. (2013). Iron fertilization enhanced net community production but not downward particle flux during the Southern Ocean iron fertilization experiment LOHAFEX. *Global Biogeochemical Cycles*, 27(3), 871–881. <https://doi.org/10.1002/gbc.20077>
150. Haskell, W. Z., Berelson, W. M., Hammond, D. E., Capone, D. G., Haskell, W. Z., Berelson, W. M., ... Capone, D. G. (2013). Particle sinking dynamics and POC fluxes in the Eastern Tropical South Pacific based on ^{234}Th budgets and sediment trap deployments. *Deep-Sea Research Part I*, 81, 1–13. <https://doi.org/10.1016/j.dsr.2013.07.001>
151. Baumann, M. S., Moran, S. B., Lomas, M. W., Kelly, R. P., & Bell, D. W. (2013). Seasonal decoupling of particulate organic carbon export and net primary production in relation to sea-ice at the shelf break of the eastern Bering Sea: Implications for off-shelf carbon export. *Journal of Geophysical Research: Oceans*, 118(10), 5504–5522. <https://doi.org/10.1002/jgrc.20366>
152. Le Moigne, F. A. C., Moore, C. M., Sanders, R. J., Villa-Alfageme, M., Steigenberger, S., & Achterberg, E. P. (2014). Sequestration efficiency in the iron limited North Atlantic: Implications for iron supply mode to fertilized blooms. *Geophysical Research Letters*. Retrieved from <http://dx.doi.org/10.1002/2014GL060308>
153. Luo, Y., Miller, L. A., De Baere, B., Soon, M., & Francois, R. (2014). POC fluxes measured by sediment traps and ^{234}Th : ^{238}U disequilibrium in Saanich Inlet, British Columbia. *Marine Chemistry*, 162, 19–29. <https://doi.org/10.1016/j.marchem.2014.03.001>
154. Rosengard, S. Z., Lam, P. J., Balch, W. M., Auro, M. E., Pike, S., Drapeau, D., & Bowler, B. (2015). Carbon export and transfer to depth across the Southern Ocean Great Calcite Belt. In *Biogeosciences* (Vol. 12). <https://doi.org/10.5194/bg-12-3953-2015>
155. Planchon, F., Ballas, D., Cavagna, A. J., Bowie, A. R., Davies, D., Trull, T., ... Dehairs, F. (2015). Carbon export in the naturally iron-fertilized Kerguelen area of the Southern Ocean based on the ^{234}Th approach. *Biogeosciences*, 12(12), 3831–3848. <https://doi.org/10.5194/bg-12-3831-2015>
156. Kawakami, H., Honda, M. C., Matsumoto, K., Wakita, M., Kitamura, M., Fujiki, T., & Watanabe, S. (2015). POC fluxes estimated from ^{234}Th in late spring–early summer in the western subarctic North Pacific. *Journal of Oceanography*, 71(3), 311–324. <https://doi.org/10.1007/s10872-015-0290-8>
157. Puigcorbé, V., Benitez-Nelson, C. R., Masqué, P., Verdeny, E., White, A. E., Popp, B. N., ... Lam, P. J. (2015). Small phytoplankton drive high summertime carbon and nutrient export in the Gulf of California and Eastern Tropical North Pacific. *Global Biogeochemical Cycles*, 29(8), 2015GB005134. <https://doi.org/10.1002/2015GB005134>
158. Stukel, M. R., Kahru, M., Benitez-Nelson, C. R., Décima, M., Goericke, R., Landry, M. R., & Ohman, M. D. (2015). Using Lagrangian-based process studies to test satellite algorithms of vertical carbon flux in the eastern North Pacific. *Journal of Geophysical Research: Oceans*, 120(11), 7208–7222. <https://doi.org/10.1002/2015JC011264>
159. Owens, S. A., Pike, S., & Buesseler, K. O. (2015). Thorium-234 as a tracer of particle dynamics and upper ocean export in the Atlantic Ocean. *Deep Sea Research Part II: Topical Studies in Oceanography*, 116(0), 42–59. <https://doi.org/http://dx.doi.org/10.1016/j.dsrr.2014.11.010>
160. Estapa, M. L., Siegel, D. A., Buesseler, K. O., Stanley, R. H. R., Lomas, M. W., & Nelson, N. B. (2015). Decoupling of net community and export production on submesoscales in the Sargasso Sea. *Global Biogeochemical Cycles*, 29(8), 1266–1282. <https://doi.org/10.1002/2014GB004913>
161. Le Moigne, F. A. C., Poulton, A. J., Henson, S. A., Daniels, C. J., Fragoso, G. M., Mitchell, E., ... Zubkov, M. (2015). Carbon export efficiency and phytoplankton community composition in the Atlantic sector of the Arctic Ocean. *Journal of Geophysical Research: Oceans*, 120(6), 3896–3912. <https://doi.org/10.1002/2015JC010700>
162. Le Moigne, F. A. C., Henson, S. A., Cavan, E., Georges, C., Pabortsava, K., Achterberg, E. P., ... Sanders, R. J. (2016). What causes the inverse relationship between primary production and export efficiency in the Southern Ocean? *Geophysical Research Letters*, 43(9), n/a–n/a. <https://doi.org/10.1002/2016GL068480>

163. Stukel, M. R., Benitez-Nelson, C. R., Décima, M., Taylor, A. G., Buchwald, C., & Landry, M. R. (2016). The biological pump in the Costa Rica Dome: an open-ocean upwelling system with high new production and low export. *Journal of Plankton Research*, 38(2), 348–365. <https://doi.org/10.1093/plankt/fbv097>
164. Roca-Martí, M., Puigcorbé, V., Rutgers van der Loeff, M. M., Katlein, C., Fernández-Méndez, M., Peeken, I., & Masqué, P. (2016). Carbon export fluxes and export efficiency in the central Arctic during the record sea-ice minimum in 2012: a joint ^{234}Th / ^{238}U and ^{210}Po / ^{210}Pb study. *Journal of Geophysical Research: Oceans*, 121(7), 5030–5049. <https://doi.org/10.1002/2016JC011816>
165. Turnewitsch, R., Dumont, M., Kiriakoulakis, K., Legg, S., Mohn, C., Peine, F., & Wolff, G. (2016). Tidal influence on particulate organic carbon export fluxes around a tall seamount. *Progress in Oceanography*, 149, 189–213. <https://doi.org/10.1016/j.pocean.2016.10.009>
166. Maiti, K., Bosu, S., D'Sa, E. J. J., Adhikari, P. L. L., Sutor, M., & Longnecker, K. (2016). Export fluxes in northern Gulf of Mexico - Comparative evaluation of direct, indirect and satellite-based estimates. *Marine Chemistry*, 184, 60–77. <https://doi.org/10.1016/j.marchem.2016.06.001>
167. Haskell, W. Z., Prokopenko, M. G., Hammond, D. E., Stanley, R. H. R., Berelson, W. M., Baronas, J. J., ... Aluwihare, L. (2016). An organic carbon budget for coastal Southern California determined by estimates of vertical nutrient flux, net community production and export. *Deep-Sea Research Part I: Oceanographic Research Papers*, 116, 49–76. <https://doi.org/10.1016/j.dsr.2016.07.003>
168. Ceballos-Romero, E., Le Moigne, F. A. C., Henson, S., Marsay, C. M., Sanders, R. J., García-Tenorio, R., & Villa-Alfageme, M. (2016). Influence of bloom dynamics on Particle Export Efficiency in the North Atlantic: a comparative study of radioanalytical techniques and sediment traps. *Marine Chemistry*, 186, 198–210. <https://doi.org/10.1016/j.marchem.2016.10.001>
169. Roca-Martí, M., Puigcorbé, V., Iversen, M. H., van der Loeff, M. R., Klaas, C., Cheah, W., ... Masqué, P. (2017). High particulate organic carbon export during the decline of a vast diatom bloom in the Atlantic sector of the Southern Ocean. *Deep Sea Research Part II: Topical Studies in Oceanography*, 138, 102–115. <https://doi.org/10.1016/j.dsr2.2015.12.007>
170. Puigcorbé, V., Roca-Martí, M., Masqué, P., Benitez-Nelson, C., van der Loeff, M. R., Bracher, A., & Moreau, S. (2017). Latitudinal distributions of particulate carbon export across the North Western Atlantic Ocean. *Deep Sea Research Part I: Oceanographic Research Papers*, 129, 116–130. <https://doi.org/10.1016/J.DSR.2017.08.016>
171. Puigcorbé, V., Roca-Martí, M., Masqué, P., Benitez-Nelson, C. R., van der Loeff, M. R., Laglera, L. M., ... Klaas, C. (2017). Particulate organic carbon export across the Antarctic Circumpolar Current at 10°E : Differences between north and south of the Antarctic Polar Front. *Deep Sea Research Part II: Topical Studies in Oceanography*, 138, 86–101. <https://doi.org/10.1016/J.DSR2.2016.05.016>
172. Stukel, M. R., Aluwihare, L. I., Barbeau, K. A., Chekalyuk, A. M., Goericke, R., Miller, A. J., ... Landry, M. R. (2017). Mesoscale ocean fronts enhance carbon export due to gravitational sinking and subduction. *Proceedings of the National Academy of Sciences*, 114(6), 1252–1257. <https://doi.org/10.1073/pnas.1609435114>
173. Subha Anand, S., Rengarajan, R., Sarma, V. V. S. S., Sudheer, A. K., Bhushan, R., & Singh, S. K. (2017). Spatial variability of upper ocean POC export in the Bay of Bengal and the Indian Ocean determined using particle-reactive ^{234}Th . *Journal of Geophysical Research: Oceans*, 122(5), 3753–3770. <https://doi.org/10.1002/2016JC012639>
174. Black, E. E., Buesseler, K. O., Pike, S. M., & Lam, P. J. (2018). ^{234}Th as a tracer of particulate export and remineralization in the southeastern tropical Pacific. *Marine Chemistry*, 201, 35–50. <https://doi.org/10.1016/j.marchem.2017.06.009>
175. Subha Anand, S., Rengarajan, R., Shenoy, D., Gauns, M., & Naqvi, S. W. A. (2018). POC export fluxes in the Arabian Sea and the Bay of Bengal: A simultaneous ^{234}Th / ^{238}U and ^{210}Po / ^{210}Pb study. *Marine Chemistry*, Vol. 198, pp. 70–87. <https://doi.org/10.1016/j.marchem.2017.11.005>
176. Subha Anand, S., Rengarajan, R., & Sarma, V. V. S. S. (2018). ^{234}Th -Based Carbon Export Flux Along the Indian GEOTRACES GI02 Section in the Arabian Sea and the Indian Ocean. *Global Biogeochemical Cycles*, 32(3), 417–436. <https://doi.org/10.1002/2017GB005847>
177. Lemaitre, N., Planchon, F., Planquette, H., Dehairs, F., Fonseca-Batista, D., Roukaerts, A., ... Sarthou, G. (2018). High variability of export fluxes along the North Atlantic GEOTRACES section GA01: Particulate organic carbon export deduced from the ^{234}Th method. *Biogeosciences Discussions*, 15(21), 1–38. <https://doi.org/10.5194/bg-2018-190>

178. Umhau, B. P., Benitez-Nelson, C. R., Close, H. G., Hannides, C. C. S., Motta, L., Popp, B. N., ... Drazen, J. C. (2019). Seasonal and spatial changes in carbon and nitrogen fluxes estimated using ^{234}Th : ^{238}U disequilibria in the North Pacific tropical and subtropical gyre. *Marine Chemistry*, 217, 103705. <https://doi.org/10.1016/j.marchem.2019.103705>
179. Stukel, M. R., Kelly, T. B., Aluwihare, L. I., Barbeau, K. A., Goericke, R., Krause, J. W., ... Ohman, M. D. (2019). The Carbon: $^{234}\text{Thorium}$ ratios of sinking particles in the California current ecosystem 1: relationships with plankton ecosystem dynamics. *Marine Chemistry*, 212(October 2018), 1–15. <https://doi.org/10.1016/j.marchem.2019.01.003>

PANGAEA data publisher:

180. Buesseler (2003). Thorium 234 activity in particulate and dissolved phases at station AT_II-119/4_4-1. PANGAEA, <https://doi.org/10.1594/PANGAEA.112051>
181. Coppola & Jeandel (2004). Thorium radionuclides analysed at bottle station ANTARES-IV_004. PANGAEA, <https://doi.org/10.1594/PANGAEA.140655>
182. JGOFS-INDIA, (2002). Radionuclide thorium 234 and salinity measured on water bottle samples during Sagar Kanya cruise SK104. PANGAEA, <https://doi.org/10.1594/PANGAEA.78699>
183. JGOFS-INDIA, (2013). JGOFS-INDIA (2013): Thorium 234 measured on water bottle samples during Sagar Kanya cruise SK91. PANGAEA, <https://doi.org/10.1594/PANGAEA.807497>
184. JGOFS-INDIA, (2013). JGOFS-INDIA (2013): Thorium 234 measured on water bottle samples during Sagar Kanya cruise SK99. PANGAEA, <https://doi.org/10.1594/PANGAEA.807499>
185. JGOFS-INDIA, (2013). Thorium 234 measured on water bottle samples during Sagar Kanya cruise SK121. PANGAEA, <https://doi.org/10.1594/PANGAEA.807500>
186. Roca-Martí et al., (2015). Thorium-234, POC and PON fluxes during POLARSTERN cruise ANT-XXVIII/3, January-March 2012. PANGAEA, <https://doi.org/10.1594/PANGAEA.848823>.
187. Rutgers van der Loeff, 2007. Manual determination of Thorium 234 and Uranium 238 during cruise ANT-XXIII/3. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.615830>.
188. Young & Murray (2003). sotope activity measured on Go-Flo bottle samples at station TT007_15-GoFlo. PANGAEA, <https://doi.org/10.1594/PANGAEA.121394>.